



# Docking Stations for Havis TC-400 Series iPad Cases

DS-TAB-400 SERIES



## RUGGED MOBILITY FOR MAXIMUM EFFICIENCY

- Input port on case allows device to be charged and transfer data when it's not in the Havis docking station
- Full access to camera, speakers, and controls
- LED Power Indicator
- Simple, safe and secure connectivity through one handed docking and undocking
- Low profile, rugged design
- Drop tested



# Docking Stations for Havis TC-400 Series iPad Cases

## DS-TAB-400 SERIES

- Supports multiple Apple iPad tablets in public safety, utility, and other demanding environments
- Kickstand provides angled viewing
- Integrated stylus holder
- Hand Strap Included
- External Power Supply Required
- Apple Touch ID Accommodation\*



PART NUMBER	SUPPORTED APPLE DEVICE	ETHERNET	USB-C	USB-A	POWER INPUT	EXT POWER
DS-TAB-401		1	1	2	24V*	
TC-402	iPad Pro 13" (M4, M5)					
TC-403	iPad Pro 11" (M4, M5)					
TC-410*	iPad Pro 12.9" (3rd-6th Gen) & iPad Air 13" (M2-M4)					
TC-411*	iPad Air 11" (4th-5th Gen, M2-M4)					
TC-412*	iPad (10th Gen), iPad A16					
TC-409	iPad Pro 11" (2nd-4th Gen)					
PKG-TAB4-APP1N	iPad Pro 13" (M4, M5)	1	1	2	24V*	120N-D01-S04-1
PKG-TAB4-APP2N	iPad Pro 11" (M4, M5)	1	1	2	24V*	120N-D01-S04-1
PKG-TAB4-APP3N*	iPad Pro 12.9" (3rd-6th Gen) & iPad Air 13" (M2, M3)	1	1	2	24V*	120N-D01-S04-1
PKG-TAB4-APP4N	iPad Pro 11" (2nd-4th Gen)	1	1	2	24V*	120N-D01-S04-1
PKG-TAB4-APP5N*	iPad (10th Gen), iPad A16	1	1	2	24V*	120N-D01-S04-1
PKG-TAB4-APP6N*	iPad Air 11" (4th-5th Gen, M2, M3)	1	1	2	24V*	120N-D01-S04-1

### SPECIFICATIONS:

Height: 10.07-in  
 Width: 6.61-in  
 Depth: 21-in  
 Weight: 1.1lbs  
 Mounting: VESA 75

### CERTIFICATIONS & TESTING:

FCC, ICES (Canada), CE (EMC: EN 55032, EN 50498), (RoHS, REACH)  
 Vibration Testing: MIL-STD 810G 514.8  
 Crash Test: SAE J1455 30mph Crash Testing  
 Cycle test: Latch Tested 30,000 cycles  
 Environmental testing: Hot/Cold operation

