

HAVIS DOCKING STATION FOR TOUGHBOOK 40 LAPTOP

DS-PAN-1500 SERIES



SUSTAINABLE SOLUTIONS FOR RUGGED APPLICATIONS

- Supports the Panasonic TOUGHBOOK 40 laptop in Public Safety, Federal, Work Truck, Material Handling & other other demanding environments
- Spring-loaded connector with retractable cover
- Panasonic certified electronics in standard and advanced configurations (optional)
- Quad pass-thru antenna connections (optional)
- Light-weight, durable & compact design
- Access to critical laptop buttons and ports when docked
- Powered by LIND 120W vehicle adapter (LPS-103, sold separately)
- Compatible with screen support (DS-DA-423, sold separately)
- Keyed lock
- Made in USA



HAVIS DOCKING STATION FOR TOUGHBOOK 40 LAPTOP

DS-PAN-1500 SERIES

PANASONIC TOUGHBOOK 40 SOLUTION

- Low profile, lightweight & versatile design
- Port replication with integrated cable management
- Quad pass-thru antenna connections (optional)
- External power supply (optional)
- Bundles available for convenient solution



PART NUMBER	ETHERNET	USB 2 TYPE A	USB 3 TYPE A	USB 2 TYPE C	USB 2 TYPE C	HDMI	SERIAL	POWER INPUT	PASS-THRU ANT	ANT TYPE	EXT POWER
DS-PAN-1501	2	2	1	1 FRONT*	2*		1	15.6V***			
DS-PAN-1501-4	2	2	1	1 FRONT*	2*		1	15.6V***	QUAD	SMA	
DS-PAN-1502N	2	2	1	1 FRONT*	2*		1	15.6V			120N-B01-R03-1
DS-PAN-1502N-4	2	2	1	1 FRONT*	2*		1	15.6V	QUAD	SMA	120N-B01-R03-1
DS-PAN-1503											
DS-PAN-1504	2	2	1	1 FRONT*	2**	1	1	15.6V			
DS-PAN-1504-4	2	2	1	1 FRONT*	2**	1	1	15.6V***	QUAD	SMA	
DS-PAN-1505N	2	2	1	1 FRONT*	2**	1	1	15.6V			120N-B01-R03-1
DS-PAN-1505N-4	2	2	1	1 FRONT*	2**	1	1	15.6V	QUAD	SMA	120N-B01-R03-1

Note: All ports are rear-facing unless otherwise noted.

* Does not support external video

** External video supported; consult Owner's Manual for additional details

SPECIFICATIONS:

Height: 2.63 in (6.7 cm)
 Width: 14.4 in (36.6 cm)
 Depth: 12.3 in (31.3 cm)
 Weight: 6.25lb (2.5 kg)
 Mounting: Bracket fits most motion devices

CERTIFICATIONS & TESTING:

TOUGHBOOK, CE, C-Tick (pending); RoHS Compliant; UL Listed
 Vibration Testing: MIL-STD-810H 514.8
 Impact Test: Crash Simulation per SAE J1455
 Cycle Test: Latch Tested 30,000 cycles
 Environmental Testing: Hot/Cold Operation & Storage

